



Interconnected Surface Water and Groundwater Dependent Ecosystem Workplan

Presented by:

Christian Braudrick,
Stillwater Sciences



ISW and GDEs Workplan Objectives

- GSP recognized data gaps on the relationship between ISW conditions and GDEs.
 - Action: Prepare Workplan to leverage existing information and identify assessments and monitoring needed to address data gaps
- Workplan describes:
 - Information needed to better understand existing streamflow characteristics and how they relate to GDE health.
 - Data gathered to develop a relationship between groundwater elevation, flow, and habitat for GDEs
 - How the results will be used to refine Sustainable Management Criteria related to the ISW sustainability indicator.






What are the GDEs?

GDEs:

- Aquatic ecosystems (ISW)
- 12 vegetation communities

Special-status species


- 3 fish (plus Chinook salmon – *not a special-status species*)
- 5 aquatic wildlife species
- 15 plant species likely or possibly associated with groundwater
- Six terrestrial wildlife species (all birds)



What Does the Workplan include?


- Monitoring and analysis of shallow groundwater and streamflow
- Modeling of groundwater and surface water using the Napa Valley Integrated Hydrologic Model
- Biological monitoring and analysis at 6 intensive sites throughout the basin
- **California Environmental Flows Framework (CEFF) Assessment** sections A (*Identify ecological flow criteria using natural functional flows*) and B (*Develop ecological flow criteria for each flow component affected by non-flow factors*)

Functional Flow Components



Hydrologic Monitoring Network

- There are **127 wells** in the Subbasin monitoring network
- ISW Network: **30 Monitoring wells**
 - 2014 5 sites with dual-completion wells (10 wells)
 - 2023 installed 8 additional sites (16 wells)
 - 4 other shallow monitoring wells
- **35 Stream Watch** sites
- **2 USGS gages**
- **Napa Valley Integrated Hydrologic Model**



Biologic Surveys at Intensive Survey Sites



Site Prioritization

- Identify 21 potential sites
- Prioritize sites based on based on:

Ecologic importance (0-6 points total)


number of special-status species/lifestages,
groundwater importance

Hydrologic data availability (0-3 points total):

Surface water, shallow groundwater, and
Stream Watch data


Other Considerations (1 point)

Stream restoration, uniqueness, very
important habitat
















Prioritization: Hydrologic Data and Ecological Importance

- Based on the scores we identified 6 sites in the draft workplan (Napa near Yountville, Napa near Oak Knoll, Napa near St. Helena, Napa near Napa, Napa near Calistoga, Sulphur Creek)
- Comments from the TAG and others suggested that the score for the Napa at Napa site was too high, we therefore selected **Bale Slough** expanded biological monitoring.
- Redwood Creek and York Creek were identified for future expanded hydrologic and biological monitoring.



Intensive Site Monitoring Schedule

		2024	2025	2026	2027
	Fish Habitat and Usage				GSP Update January 2027
	Aquatic Wildlife			Optional (Flood, Drought)	
	Vegetation Health and Rare Plants				
	Terrestrial Wildlife (Birds)				

CEFF Assessment in 2024 and 2025 and summary in annual reports

Comment types

Comments were categorized as:

- Editorial (typos, grammatical mistakes, graphical issues with figures)
- Technical (clarification of technical information, missing data on figures and in text)
- Implementation (such as unclear methods, methods requiring additional detail, etc.)

About half the comments were editorial and the rest were categorized as Technical and Implementation.

Example comments and topics

- Intensive survey site selection (mainstem versus tributaries)
- Include dissolved oxygen measurement at intensive sites
- Clarify inclusion of fall pulse flows in CEFF analysis
- Over what lengths will we map flow connectivity?
- Clarify implementation of CEFF
- Mapping of intermittent and perennial streams

Summary

- Workplan includes ongoing monitoring and biological surveys at 6 intensive sites and incorporates California Environmental Flows Framework (CEFF) Sections A and B.
- Data will be used to assess usage and habitat of various species and to develop relationships between habitat requirements and groundwater elevation/discharge.
- Workplan will be implemented starting in 2024 with results included in the Five-Year GSP update in 2027.

